

SD Medicaid PCP Health Home Outcome Measures

Goal 1: Improve the health of Medicaid Health Home recipients with chronic conditions.	Measures	Data Source	Measure Specification	How HIT will be Utilized	Core Service	Measure Steward
Clinical Outcomes	Depression: Percentage of PCP-HH recipients aged 12 years through 17 years screened for clinical depression using an age appropriate standardized tool and follow-up documented.	Recipient Electronic Health Record	Numerator = Number of PCP-HH recipients aged 12 years through 17 years screened for depression in the previous 12 months Denominator = number of all PCP-HH recipients aged 12 years through 17 years in the previous 12 months x 100	Utilizing the HH's electronic health record, results will be submitted in flat file to the state by individual recipient.	Health Promotion	PQRS (Physician Quality Reporting System – Centers for Medicare & Medicaid Services)
	Depression: Percentage of PCP-HH recipients aged 18 years and older screened for clinical depression using an age appropriate standardized tool and follow-up documented.	Recipient Electronic Health Record	Numerator = Number of PCP-HH recipients aged 18 years and older screened for depression in the previous 12 months Denominator = number of all PCP-HH recipients aged 18 years and older in the previous 12 months x 100	Utilizing the HH's electronic health record, results will be submitted in flat file to the state by individual recipient.	Health Promotion & Comprehensive Care Management	PQRS
	Substance Abuse: Percentage of PCP-HH recipients age 12 years and older who were screened for tobacco, alcohol and other drug dependencies within the reporting period.	Recipient Electronic Health Record	Numerator = Number of PCP-HH recipients age 12 years and older screened for tobacco, alcohol and other drug dependencies in the previous 12 months Denominator = Number of all PCP-HH recipients	Utilizing the HH's electronic health record, results will be submitted in flat file to the state by individual recipient.	Health Promotion & Comprehensive Care Management	PQRS

SD Medicaid PCP Health Home Outcome Measures

			aged 12 years and older in the previous 12 months x 100			
	Substance Abuse: Percentage of PCP-HH recipients age 13 years and older (adolescents and adults) with a new episode of alcohol or other drug (AOD) dependence who received the following: <ul style="list-style-type: none"> Initiation of AOD treatment 	Recipient Electronic Health Record	Initiation of AOD Treatment Numerator = Number of PCP-HH recipients aged 13 years and older with initiation of AOD treatment through an inpatient admission, intensive outpatient encounter or partial hospitalization within 14 days of diagnosis. Denominator = Recipients 13 years of age and older as of December 31 of the measurement year with a new episode of AOD during the intake period, reported in two age stratifications (13-17 years, 18 years and older) and a total rate. The total rate is the sum of the two denominators.	Utilizing the HH's electronic health record, results will be submitted in flat file to the state by individual recipient.	Health Promotion & Comprehensive Care Management	NCQA (National Committee for Quality Assurance)
	Substance Abuse: Percentage of PCP-HH recipients age 13 years and older (adolescents and adults) with a new episode of alcohol or other drug (AOD) dependence who received the following: <ul style="list-style-type: none"> Engagement of AOD treatment 	Recipient Electronic Health Record	Engagement of AOD Treatment Numerator = Initiation of AOD treatment and two or more inpatient admission, outpatient visits, intensive outpatient encounters, or partial hospitalizations	Utilizing the HH's electronic health record, results will be submitted in flat file to the state by individual recipient.	Health Promotion & Comprehensive Care Management	NCQA

SD Medicaid PCP Health Home Outcome Measures

			<p>with any AOD diagnosis within 30 days after the date of the initiation encounter (inclusive). Multiple engagement visits may occur on the same day, but they must be with different providers in order to be counted.</p> <p>Denominator = Recipients 13 years of age and older as of December 31 of the measurement year with a new episode of AOD during the intake period, reported in two age stratifications (13-17 years, 18 years and older) and a total rate. The total rate is the sum of the two denominators.</p>			
	<p>Asthma: Percentage of PCP - HH recipients aged 5 through 50 years of age who were identified as having persistent asthma and were appropriately prescribed medication and remained on their medication during the measurement year. Two rates are reported.</p> <p>1. % of PCP - HH recipients who remained on an asthma controller medication at least 50% of the treatment period.</p>	Recipient Electronic Health Record	<p>Numerator = For a given 90 day period number of PCP-HH recipients between the ages of 5 through 50 years of age identified as having asthma and a prescription for a controller medication.</p> <p>Denominator = for a given 90 day period number of PCP-HH recipients between the age of 5 through 50 year</p>	Utilizing the HH's electronic health record, results will be submitted in flat file to the state by individual recipient.	Comprehensive Care Management	PQRS

SD Medicaid PCP Health Home Outcome Measures

	2. % of PCP-HH recipients who remained on an asthma controller medication @ least 75% of the treatment period.		<p>of age identified as having asthma.</p> <p>Numerator = number of PCP-HH recipients on medication for asthma in the past 90 days with a medication possession ratio greater than 75%.</p> <p>Denominator = number of all PCP-HH recipients on medication for asthma in the past 90 days.</p>			
	Diabetes: Percentage of PCP - HH recipients aged 18 through 75 years with diabetes mellitus who had most recent hemoglobin A1c less than 8.0%.	Recipient Electronic Health Record	<p>Numerator = For a given 90 day period, number of PCP-HH recipients between the age of 18 to 75 years old identified as having diabetes and a documented Hba1c in the previous 12 months for whom the most recent Hba1c level is less than 8%</p> <p>Denominator = For a given 90 day period, number of PCP-HH recipients between the age of 18 – 75 years of age identified as having diabetes and having a documented Hba1c in the previous 12 months.</p>	The medication adherence, HEDIS indicators and meaningful use measures were developed from treatment guidelines. Health Homes will utilize data analytics of the diagnostic and service information in practice's electronic health record to assess and monitor the extent to which a specific individuals' care is consistent with treatment guidelines. Results will be submitted in flat file to the state by individual	Comprehensive Care Management	PQRS

SD Medicaid PCP Health Home Outcome Measures

				recipient.		
	<p>Diabetes: Percentage of PCP - HH recipients aged 18 through 75 years with diabetes mellitus who had most recent blood pressure in control (less than 140/90 mmHg).</p>	Recipient Electronic Health Record	<p>Numerator = Number of PCP-HH recipients 18 – 75 years of age with diabetes whose most recent blood pressure in the previous 12 months was less than 140/90 mmHg.</p> <p>Denominator = total number of PCP-HH recipients in the previous 12 months 18-75 years of age with diabetes.</p>	The medication adherence, HEDIS indicators and meaningful use measures were developed from treatment guidelines. Health Homes will utilize data analytics of the diagnostic and service information in practice's electronic health record to assess and monitor the extent to which a specific individuals' care is consistent with treatment guidelines. Results will be submitted in flat file to the state by individual recipient.	Comprehensive Care Management	PQRS
	<p>Vascular Disease: Percentage of PCP - HH recipients aged 18 years and older with Ischemic Vascular Disease (IVD) who received at least one lipid profile within 12 months and who's most recent LDL-C level was in control (less than 100 mg/dL).</p>	Recipient Electronic Health Record	<p>Numerator = During the reporting period, number of PCP-HH recipients age 18 years and older diagnosed with Ischemic Vascular Disease (IVD) who received at least one lipid panel profile within the last 12 months and whose recent LDL-C level was in control (less than 100mg/dl).</p> <p>Denominator = PCP-HH</p>	The medication adherence, HEDIS indicators and meaningful use measures were developed from treatment guidelines. Health Homes will utilize data analytics of the diagnostic and information in practice's electronic health record to	Comprehensive Care Management	PQRS

SD Medicaid PCP Health Home Outcome Measures

			recipients age 18 years and older diagnosed with Ischemic Vascular Disease (IVD) who received at least one lipid panel profile within the last 12 months.	assess and monitor the extent to which a specific individuals' care is consistent with treatment guidelines. Results will be submitted in flat file to the state by individual recipient.		
	Obesity: Percentage of PCP - HH recipients age 18- 74 years who had an outpatient visit and whom had their BMI documented during the reporting period or the year prior to the reporting period.	Recipient Electronic Health Record	<p>Numerator = Number of PCP-HH recipients age 18 - 74 with a documented BMI during the reporting period or the year prior to the reporting period</p> <p>Denominator = PCP-HH recipients 18-74 years of age who had an outpatient visit.</p>	The medication adherence, HEDIS indicators and meaningful use measures were developed from treatment guidelines. Health Homes will utilize data analytics of the diagnostic and service information in practice's electronic health record to assess and monitor the extent to which a specific individuals' care is consistent with treatment guidelines. Results will be submitted in flat file to the state by individual recipient.	Comprehensive Care Management	PQRS
	Obesity: Percentage of PCP - HH children age 6 to 17 with a calculated BMP (Body Mass Percentile) at their most recent	Recipient Electronic Health Record	Numerator = Number of PCP-HH recipients age 6 to 17 years during the reporting period or	The medication adherence, HEDIS indicators and meaningful use	Comprehensive Care Management	PQRS

SD Medicaid PCP Health Home Outcome Measures

	preventative service visit during the reporting period.		<p>during the current visit documented in the medical record in the denominator with a calculated BMP.</p> <p>Denominator = PCP-HH recipients 6 to 17 years of age who had an outpatient visit.</p>	<p>measures were developed from treatment guidelines. Health Homes will utilize data analytics of the diagnostic and service information in practice's electronic health record to assess and monitor the extent to which a specific individuals' care is consistent with treatment guidelines. Results will be submitted in flat file to the state by individual recipient.</p>		
	<p>Cancer Screening: Percentage of PCP - HH women ages 50–75 who had a mammogram to screen for breast cancer.</p>	Recipient Electronic Health Record	<p>Numerator = During the reporting period, Number of PCP-HH women ages 50-75 who had a mammogram to screen for breast cancer</p> <p>Denominator: Number of PCP-HH women ages 50-75</p>	<p>The medication adherence, HEDIS indicators and meaningful use measures were developed from treatment guidelines. Health Homes will utilize data analytics of the diagnostic and service information in practice's electronic health record to assess and monitor the extent to which a specific individuals' care is consistent</p>	Comprehensive Care Management	PQRS

SD Medicaid PCP Health Home Outcome Measures

				with treatment guidelines. Results will be submitted in flat file to the state by individual recipient.		
	<p>Cancer Screening: Percentage of PCP - HH recipients ages 50–75 who had appropriate screening for colorectal cancer. Appropriate exams include colonoscopy, sigmoidoscopy or fecal occult blood tests.</p>	Recipient Electronic Health Record	<p>Numerator = During the reporting period, Number of PCP - HH recipients ages 50–75 who had appropriate screening for colorectal cancer.</p> <p>Denominator = Number of PCP - HH members ages 50–75</p>	The medication adherence, HEDIS indicators and meaningful use measures were developed from treatment guidelines. Health Homes will utilize data analytics of the diagnostic and service information in practice's electronic health record to assess and monitor the extent to which a specific individuals' care is consistent with treatment guidelines. Results will be submitted in flat file to the state by individual recipient.	Health Promotion	PQRS
	<p>Chronic Pain: Percentage of PCP - HH recipients aged 18 years and older with documentation of a pain assessment through discussion with the PCP - HH recipient including the use of a standardized tool(s) on each visit AND documentation of a follow-up plan when pain is present.</p>	Recipient Electronic Health Record	<p>Numerator = Number of PCP - HH recipients aged 18 years and older with documentation of a pain assessment through discussion with the PCP - HH recipient including the use of a standardized tool(s) on each visit AND</p>	The medication adherence, HEDIS indicators and meaningful use measures were developed from treatment guidelines. Health Homes will utilize	Comprehensive Care Management	PQRS

SD Medicaid PCP Health Home Outcome Measures

			documentation of a follow-up plan when pain is present. Denominator = Number of PCP - HH recipients aged 18 years and older	data analytics of the diagnostic and service information in practice's electronic health record to assess and monitor the extent to which a specific individuals' care is consistent with treatment guidelines. Results will be submitted in flat file to the state by individual recipient.		
	Hypertension: Percentage of PCP - HH recipients aged 18 through 85 years of age who had a diagnosis of hypertension (HTN) and whose BP was adequately controlled (< 140/90 mmHg) during the measurement year.	Recipient Electronic Health Record	Numerator = for a given 90 day period the number of PCP-HH recipients between the age of 18 through 85 years old in the denominator whose most recent blood pressure is adequately controlled during the measurement year. For the recipient's BP to be controlled, both systolic and diastolic BP must be less than 140/90mmHg Denominator = for a given 90 day period total number of PCP-HH recipients between the age of 18 through 85 years old identified as	The medication adherence, HEDIS indicators and meaningful use measures were developed from treatment guidelines. Health Homes will utilize data analytics of the diagnostic and service information in practice's electronic health record to assess and monitor the extent to which a specific individuals' care is consistent with treatment guidelines. Results will be submitted in flat file to the state by individual	Comprehensive Care Management	PQRS

SD Medicaid PCP Health Home Outcome Measures

			having hypertension and who had at least one outpatient encounter with a diagnosis of HTN during the first six months of the measurement year.	recipient.		
Experience of Care	Measure and Improve Performance: The practice or practice designee surveys PCP - HH recipients to assess PCP - HH recipient/family experience on at least three of the following: Quality of Care, clinical outcomes, experience of care, access, communication, coordination, whole person care/self-management support.	PCP Health Home satisfaction survey	Numerator = Number of questions with a response of “usually” or “always” (the top two scores) for satisfaction related to quality of care, clinical outcomes and experience of care. Denominator = the total number of questions responded to within the survey.	Results for the top two scores will be submitted in flat file to the state. Results of PCP-HH surveys will be reported in aggregate for the entire statewide Health Home Initiative.	Health Promotion & Chronic Care Management	CMS (Centers for Medicare & Medicaid Services)
Quality of Care	Multiple Medications: Percentage of specified visits for PCP - HH recipients aged 18 years and older for which the eligible professional attests to documenting a list of current medications to the best of his/her knowledge and ability. This list must include ALL prescriptions, over-the-counters, herbals, vitamin/mineral/dietary (nutritional) supplements.	Recipient Electronic Health Record	Numerator = PCP-HH recipients age 18 years and older that have had a recipient visit within the reporting period and have a list of current medication in the PCP-HH electronic health record. Denominator = PCP-HH recipients age 18 years and older that have had a visit in the reporting period.	PCP-HH attests to the presence of medication listing within the electronic health record. Attestation will be submitted in flat file to the state by individual recipient.	Comprehensive Care Management	PQRS
	Pro-Active Patient Management: The practice uses PCP - HH recipient information, clinical data and evidence based guidelines to generate lists of	Recipient Electronic Health Record/Practice Records	PCP-HH electronic health record or electronic care management system identifies PCP-HH recipient visits	PCP-HH attests to the evidence of reminder systems. Attestation will be submitted in flat file	Health Promotion & Chronic Care Management	NCQA

SD Medicaid PCP Health Home Outcome Measures

	PCP - HH recipients and proactively remind PCP - HH recipients and families and clinicians of services needed. The practice demonstrates that during the past year it has proactively identified and provided outreach to PCP - HH recipients in need of services.		scheduled, and reminds PCP-HH recipients of said visits.	to the state by individual recipient.		
Goal 2: Provide cost effective, high-quality health care services for Medicaid Health Home recipients.	Measures	Data Source	Measure Specification	How HIT will be Utilized	Core Service	Measure Steward
Experience of Care	Chronic Pain: Percentage of PCP - HH recipients with a primary diagnosis of low back pain who did not have an imaging study (plain X-ray, MRI, CT scan) within 28 days of diagnosis.	Recipient Electronic Health Record	<p>Numerator = Number of PCP-HH recipients with a primary diagnosis of low back pain who did not have an imaging study within 28 days of the diagnosis.</p> <p>Denominator = Number of PCP-HH recipients with a primary diagnosis of low back pain.</p>	The medication adherence, HEDIS indicators and meaningful use measures were developed from treatment guidelines. Health Homes will utilize data analytics of the diagnostic and service information in practice's electronic health record to assess and monitor the extent to which a specific individuals' care is consistent with treatment guidelines. Results will be submitted in flat file to the state by individual recipient.	Comprehensive Care Management	PQRS

SD Medicaid PCP Health Home Outcome Measures

Quality of Care	Resource Utilization: DSS tracks the accumulated Medicaid expenditures/ total resources expended to provide care for all Health Home PCP - HH recipients by tier.	Electronic Claims Data	Numerator = the accumulated Medicaid expenditures (inpatient, outpatient, pharmacy, ancillary services) associated with PCP-HH recipients by risk tier Denominator = total number of PCP-HH recipients by tier.	DSS will utilize its electronic claims system to identify total costs by tier and for the total	Comprehensive Care Management	NCQA
	Resource Utilization: DSS tracks the accumulated Medicaid expenditures/resources expended to provide care to all enrolled PCP-HH recipients.	Electronic Claims Data	Numerator = the accumulated Medicaid expenditures (inpatient, outpatient, pharmacy, ancillary services) associated with all enrolled PCP-HH recipients Denominator = total number of enrolled PCP-HH recipients.	DSS will utilize its electronic claims system to identify total costs associated with PCP-HH recipients.	Comprehensive Care Management	NCQA
	Accessing appropriate levels of care: The PCP-HH provides education on appropriate ER utilization and DSS tracks overall ER utilization to measure reductions over a 12-month period.	Electronic Claims Data	Numerator = Number of annual PCP-HH emergency room visits Denominator = total PCP-HH member months x 12 x 1,000.	DSS will utilize its electronic claims system to measure emergency room visits/1000 members/year.	Comprehensive Care Management	NCQA
	Utilization Management Performance: The practice manages the PCP - HH recipient population for those 75 years of age and under . to reduce the overall hospitalizations over a 12 month period. DSS measures admits per thousand annually.	Electronic Claims Data	Numerator = For a 12 month period, utilizing the HEDIS 2011 codes for inpatient general hospital/acute care, inpatient alcohol and other drug services and inpatient mental health services discharges calculate the total number of hospital bed	DSS will utilize its electronic claims system to measure hospital bed days and its enrollment system to measure the average number of PCP-HH recipients to calculate admits per thousand.	Comprehensive Care Management	HFMA (Healthcare Financial Management)

SD Medicaid PCP Health Home Outcome Measures

			<p>days for all HH recipients under age 75</p> <p>Denominator = the average number of PCP-HH recipients under age 75 during that same time period x 1,000.</p>			
	<p>Utilization Management Performance: The practice manages the PCP - HH recipient population to reduce hospital readmissions for the same or similar diagnosis within a 30 day period over a 12 month period.</p>	Electronic Claims Data	<p>Numerator = the number of PCP-HH recipients admitted to a hospital for the same or similar diagnosis within 30 days of a hospital discharge</p> <p>Denominator = the total number of hospital discharges during the same reporting period.</p>	DSS will utilize its electronic claims system to identify hospital readmissions for the same or similar diagnosis within 30 days of a hospital discharge to measure readmission rates over a 12 month period.	Comprehensive Care Management	CMS
	<p>Utilization Management Performance: The practice manages the PCP - HH recipient population 18 years of age and older to reduce hospital readmissions for the same or similar diagnosis within a 30 day period over a 12 month period.</p>	Electronic Claims Data	<p>Numerator = the number of PCP-HH recipients 18 years of age or older admitted to a hospital for the same or similar diagnosis within 30 days of a hospital discharge</p> <p>Denominator = the total number of hospital discharges of PCP-HH recipients 18 years of age or older during the same reporting period.</p>	DSS will utilize its electronic claims system to identify hospital readmissions for the same or similar diagnosis within 30 days of a hospital discharge to measure readmission rates over a 12 month period.	Comprehensive Care Management	CMS
	<p>Track & Coordinate Care: The practice tracks referrals using a reporting log or electronic reporting system. The tracked referrals are those determined</p>	Recipient Electronic Health Record	<p>Numerator = Number of PCP-HH recipients referred by a clinician</p> <p>Denominator = all active</p>	The PCP-HH tracks identified referral through its electronic health record or practice	Care Coordination	NCQA

SD Medicaid PCP Health Home Outcome Measures

	by the clinician to be important for a PCP - HH recipient's treatment or as indicated by practice guidelines.		PCP-HH recipients during the same reporting period.	management system. Results will be submitted in flat file to the state by individual recipient.		
	Care Transition: Transition Record Transmitted to PCP-HH The practice tracks the percentage of patients, regardless of age, discharged from an inpatient facility to home or any of other site of care for whom a transition record was transmitted to the facility or designated health professional for follow-up care within 24 hours of discharge.	Recipient Electronic Health Record	Numerator = Number of PCP-HH recipients with a transition record from an inpatient facility (hospital inpatient or observation, skilled nursing facility or rehabilitation facility) transmitted to the PCP-HH for follow-up care within 24 hours of discharge. Denominator = All PCP-HH recipients discharges from an inpatient facility (hospital inpatient or observation, skilled nursing facility or rehabilitation facility) to home/self-care or any other site of care.	The PCP-HH tracks follow-up care delivered within 24 hours of discharge through its electronic health record or practice management system. Results will be submitted in flat file to the state by individual recipient.	Comprehensive Care Management	NCQA
	Follow-up After Hospitalization for Mental Illness: PCP HH tracks the percentage of HH recipients 6 years of age and older who were hospitalized for treatment of selected mental health disorders and who had an outpatient visit, an intensive outpatient encounter, or partial hospitalization with a mental health practitioner within 7 days of discharge.	Recipient Electronic Health Record	Numerator = An outpatient visit, intensive outpatient encounter, or partial hospitalization (refer to table FUH-C in the original measure documentation codes to identify visits) with a mental health practitioner within 7 days after discharge.. Include outpatient visits, an intensive outpatient encounters, or partial	The PCP-HH tracks follow-up care delivered within 24 hours of discharge through its electronic health record or practice management system. Results will be submitted in flat file to the state by individual recipient.	Comprehensive Care Management	NCQA

SD Medicaid PCP Health Home Outcome Measures

			<p>hospitalizations that occur on the day of discharge.</p> <p>Denominator = Recipients 6 years of age and older discharged alive from an acute inpatient setting (including acute care psychiatric facilities) with a principal mental health diagnosis on or between January 1 and December 31 of the measurement year.</p>			
Goal 3: Transform the primary care health care delivery system.	Measures	Data Source	Measure Specification	How HIT will be Utilized	Core Service	Measure Steward
Clinical Outcomes	N/A					
Experience of Care	Self-Management: Recipient & Family Support: Provide educational resources or refers at least 50% of PCP-HH recipients/families to educational resources to assist in self-management. .	Recipient Electronic Health Record	<p>Numerator = the number of PCP-HH recipients that were provided educational resources or referrals</p> <p>Denominator = all active PCP-HH recipients during the same time period. Educational materials or referrals provided are to be documented in PCP-HH recipients electronic health record</p>	Utilizing the HH's electronic health record, results will be submitted in flat file to the state by individual recipient.	Patient & Family Support	NCQA
	Self-Management: Counsel at least 50% of PCP-HH recipients/families to adopt healthy behaviors associated with disease risk factors (tobacco	Recipient Electronic Health Record	<p>Numerator = Number of PCP-HH recipients that have been educated on health risks associated with disease risk factors.</p>	Utilizing the HH's electronic health record, results will be submitted in flat file to the state by	Patient & Family Support	NCQA

SD Medicaid PCP Health Home Outcome Measures

	use, nutrition, exercise & activity level, alcohol use).		Denominator = Total number of active PCP-HH recipients during the reporting period.	individual recipient.		
	Plan & Manage Care: Conduct pre-visit preparations and collaborate with PCP-HH patient/family to develop an individual care plan that includes treatment goals.	Recipient Electronic Health Record	Numerator = Number of PCP-HH recipients whose medication, laboratory, and radiology orders created by provider are recorded using CPOE/EHR. Denominator = Total number of active PCP-HH recipients during the reporting period.	Utilizing the HH's electronic health record, results will be submitted in flat file to the state by individual recipient.	Health Promotion & Chronic Care Management	NCQA
	Plan & Manage Care: Provide the PCP-HH recipient/family a clinical summary of each relevant visit	Recipient Electronic Health Record	Numerator = Number of PCP-HH recipients that had a visit during the reporting period Denominator = all active PCP-HH recipients during the same time period.	Utilizing the HH's electronic health record, results will be submitted in flat file to the state by individual recipient.	Health Promotion & Chronic Care Management	NCQA
Quality of Care	Comprehensive Care: The practice follows up with PCP - HH recipients who have not kept important appointments, such as for rechecks, preventive care, or post hospitalization.	Recipient Electronic Health Record/Practice Records	Numerator = Number of missed PCP-HH recipients appointments Denominator = Number of scheduled PCP-HH recipient visits in the reporting period.	Utilizing the HH's electronic health record, results will be submitted in flat file to the state by individual recipient.	Comprehensive Transitional Care & Follow-up	NCQA
	Plan and Manage Care: Identify PCP-HH recipients/families who might benefit from additional care management support.	Recipient Electronic Health Record /Practice Records	Numerator = Number of recipients identified and referred for additional support services	Utilizing the HH's electronic health record, results will be submitted in flat	Comprehensive Transitional Care & Follow-up	NCQA

SD Medicaid PCP Health Home Outcome Measures

			Denominator = all active PCP-HH recipients during the same time period.	file to the state by individual recipient.		
	Self-Management: Document self-management abilities for at least 50% of PCP-HH patients/families.	Recipient Electronic Health Record /Practice Records	Numerator = Number of PCP-HH recipients with self-management abilities documented in recipient health record Denominator = all active PCP-HH recipients during the same time period.	Utilizing the HH's electronic health record, results will be submitted in flat file to the state by individual recipient.	Patient & Family Support	NCQA
	Self-Management: Provide self-management tools to enable PCP - HH recipients to record self care results for at least 50% of PCP-HH patients/families.	Recipient Electronic Health Record /Practice Tools	Numerator = Number of PCP-HH recipients utilizing self-management tools to record self care results Denominator = all active PCP-HH recipients during the same time period.	Utilizing the HH's electronic health record, results will be submitted in flat file to the state by individual recipient.	Patient & Family Support	NCQA
	Track & Coordinate Care: Demonstrate the capability for electronic exchange key clinical information	PCP-HH Attestation	PCP-HH attests that their PCP-HH electronic Health Record has been functional for a twelve month period	Utilizing the HH's electronic health record, results will be submitted in flat file to the state by individual recipient.	Care Coordination	NCQA
	Track & Coordinate Care: Provide an electronic summary of care record for more than 50% of referrals to the referred specialists.	Recipient Electronic Health Record	Numerator = Number of times PCP-HH recipient information was transferred (recipients electronic health record indicates a specialty referral) in a 90 day period Denominator = number of PCP-HH recipients actively enrolled in the PCP-H at any point during the 90 days x 90.	Utilizing the HH's electronic health record, results will be submitted in flat file to the state by individual recipient.	Health Promotion & Chronic Care Management	NCQA

SD Medicaid PCP Health Home Outcome Measures